

Ready to start into the new season?

humimeter FL1 und humimeter FL2 - straw and hay moisture meter

humimeter for foods

Ready to start into the new season?

The moisture content of hay and straw bales is an important criterion in hay and straw processing. Only a pure, germ-free and dry straw meets the quality requirements.

Mould and mycotoxins arising from a too high water content in hay and straw bales can lead to serious economic damage in animal farming.

humimeter FL1/2 Hay and straw moisture meter

Moisture meter for measuring hay and straw, with very stable, fix mounted insertion probe of 0.6 meters length made of stainless steel.

Features for humimeter FL1

- Measuring range 10 to 40 % water content depending on the material
- Resolution 0,1%
- Automatic temperature compensation
- Measurement within seconds
- Scope of supply: humimeter FL1 with rubber protection cover and batteries



In addition to all functions of the FL1, the FL2 also provides

- Measuring range up to 60% water content
- Automatic averaging
- Compression plate for bulk material
- Online function
- Integrated memory and printer connection
- Calibration function for special products (by the manufacturer)
- PC interface and software
- With wooden case

[Please click here for further information](#)

Any questions? Please click [HERE](#)

Schaller GmbH. Max-Schaller-Straße 99. A-8181 St.Ruprecht an der Raab
Tel. +43 (0)3178-28899-0. Fax +43 (0)3178-28899-901. info@humimeter.com. www.humimeter.com



Unsubscribe newsletter:

This information e-mail has been sent to you based on a business contact with us or due to your or one of your colleagues approval to the transmission of information. We do not intend to bother you with this information in any way! If you do not require professional information about moisture measurement in general or news in moisture measurement in future, please reply to this e-mail indicating "UnsubscribeSchallerinfo" in the subject. Please ensure that your reply is sent from the corresponding e-mail account so that we are able to delete the right address from our database.