


GF2 task list

application:

sensor system:




GF2

task list

application:

sensor system:



Due to various application possibilities this overview covers only a section of utilisations. If your kind of application cannot be found in the list, please contact us so that we can provide optimal advice for your requirements! www.humimeter.com

Configuration according to craft

recommended configuration for painters	
13140	humimeter GF2
12514	r.h. sensor
12032	r.h. sensor + 2m cable
12278	USB data interface
12512	GF2 plastic case small

recommended configuration for bottomers	
13140	humimeter GF2
13141	conductance electronics
12847	hand electrode
12514	r.h. sensor
12032	r.h. sensor + 2m cable
12278	USB data interface
12512	GF2 plastic case small

recommended configuration für building surveyors	
13140	humimeter GF2
13141	conductance electronics
12847	hand electrode
13011	plug-in electrodes
13012	flat electrodes
12630	ram electrode
12514	r.h. sensor
12032	r.h. sensor + 2m cable
13159	r.h. sensor + brickwork
12964	CO2 sensor
12513	IR temperature sensor
12278	USB data interface
11929	GF2 plastic case large

recommended configuration for master builders	
13140	humimeter GF2
13141	conductance electronics
12630	ram electrode
13011	plug-in electrodes
13012	flat electrodes
12514	r.h. sensor
12513	IR temperature sensor
12278	USB data interface
11929	GF2 plastic case large

recommended configuration for carpenters	
13140	humimeter GF2
13141	conductance electronics
12847	hand electrode
12630	ram electrode
13011	plug-in electrodes
13159	r.h. sensor + brickwork
12278	USB data interface
11929	GF2 plastic case large

recommended configuration for interior works	
13140	humimeter GF2
13141	conductance electronics
12847	hand electrode
12514	r.h. sensor
12032	r.h. sensor + 2m cable
12278	USB data interface
12512	GF2 plastic case small

recommended configuration for caretakers	
13140	humimeter GF2
13141	conductance electronics
12847	hand electrode
12514	r.h. sensor
12032	r.h. sensor + 2m cable
12513	IR temperature sensor
12964	CO2 sensor
12278	USB data interface
11929	GF2 plastic case large

recommended configuration for restoration and dehumidification	
13140	humimeter GF2
13141	conductance electronics
12630	ram electrode
13011	plug-in electrodes
13012	flat electrodes
13159	r.h. sensor + brickwork
12513	IR temperature sensor
12278	USB data interface
11929	GF2 plastic case large